

SERIAL NO. CTL UNIT C24745

CYLINDRICAL TANK - THEORETICAL IMAGE CALIBRATION

DIAMETER = 54.75 in.
 G.P.I. = 10.19 in.
 HEAD GAL = 70.78 gal.
 LENGTH = 480.0 in.
 CAPACITY = 5033 gal.

INCH	- 0 -	1/4	1/2	3/4	INCH	- 0 -	1/4	1/2	3/4
0	2648	2619	2590	2560	0	5030	5025	5019	5033
1	2765	2736	2707	2677	1	4804	4787	4769	4804
2	2881	2852	2823	2794	2	4868	4852	4820	4868
3	2997	2969	2940	2911	3	4925	4911	4883	4925
4	3113	3084	3055	3026	4	4974	4963	4938	4974
5	3227	3199	3170	3142	5	5012	4994	4984	5012
6	3341	3313	3284	3256	6	4404	4381	4355	4404
7	3453	3425	3397	3369	7	4492	4471	4449	4492
8	3564	3537	3509	3481	8	4577	4556	4535	4577
9	3674	3647	3619	3592	9	4658	4638	4618	4658
10	3782	3755	3728	3701	10	4733	4715	4696	4733
11	3888	3861	3835	3808	11	4804	4787	4769	4804
12	3992	3966	3940	3914	12	4868	4852	4820	4868
13	4093	4068	4043	4017	13	4925	4911	4883	4925
14	4192	4168	4143	4118	14	4974	4963	4938	4974
15	4288	4264	4240	4216	15	5012	5004	4984	5012
16	4381	4358	4335	4312	16	5033	5025	5019	5033
17	4471	4449	4426	4404	17				
18	4556	4535	4514	4492	18				
19	4638	4618	4598	4577	19				
20	4715	4696	4677	4658	20				
21	4787	4769	4751	4733	21				
22	4852	4837	4820	4804	22				
23	4911	4897	4883	4868	23				
24	4963	4951	4938	4925	24				
25	5004	4994	4984	4974	25				
26	5030	5025	5019	5012	26				
27					27				

* THEORETICAL CALIBRATION IS NOT INTENDED FOR LEGAL MEASUREMENT OF PRODUCT VOLUMES!

SERIAL NO. CTL UNIT C24747

CYLINDRICAL TANK - THEORETICAL INAGE CALIBRATION

DIAMETER = 54.75 in.
 G.P.I. = 10.19 in.
 HEAD GAL = 70.78 gal.

LENGTH = 480.0 in.
 CAPACITY = 5033 gal.

INCH	- 0 -	1/4	1/2	3/4	INCH	- 0 -	1/4	1/2	3/4
0		3	8	14	28	2590	2619	2648	2677
1	21	29	39	49	29	2707	2736	2765	2794
2	59	70	82	95	30	2823	2852	2881	2911
3	108	122	136	150	31	2940	2969	2997	3026
4	165	181	196	213	32	3055	3084	3113	3142
5	229	246	264	282	33	3170	3199	3227	3256
6	300	318	337	356	34	3284	3313	3341	3369
7	375	395	415	435	35	3397	3425	3453	3481
8	456	477	498	519	36	3509	3537	3564	3592
9	541	562	584	607	37	3619	3647	3674	3701
10	629	652	675	698	38	3728	3755	3782	3808
11	721	745	769	793	39	3835	3861	3888	3914
12	817	841	865	890	40	3940	3966	3992	4017
13	915	940	965	990	41	4043	4068	4093	4118
14	1016	1041	1067	1093	42	4143	4168	4192	4216
15	1119	1145	1172	1198	43	4240	4264	4288	4312
16	1225	1251	1278	1305	44	4335	4358	4381	4404
17	1332	1359	1386	1414	45	4426	4449	4471	4492
18	1441	1469	1496	1524	46	4514	4535	4556	4577
19	1552	1580	1608	1636	47	4598	4618	4638	4658
20	1664	1692	1720	1749	48	4677	4696	4715	4733
21	1777	1806	1834	1863	49	4751	4769	4787	4804
22	1891	1920	1949	1978	50	4820	4837	4852	4868
23	2007	2036	2064	2093	51	4883	4897	4911	4925
24	2122	2152	2181	2210	52	4938	4951	4963	4974
25	2239	2268	2297	2326	53	4984	4994	5004	5012
26	2356	2385	2414	2443	54	5019	5025	5030	5033
27	2473	2502	2531	2560	0				

* THEORETICAL CALIBRATION IS NOT INTENDED FOR LEGAL MEASUREMENT OF PRODUCT VOLUMES!